

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Attorney James T. Eller (Registration No. 39,538) on April 10, 2008.

2. The application has been amended as follows:

In the claims:

Claim 15, line 4: Delete "stopping the indoor unit in a present time" and replace with --stopping the indoor unit after a preset time period is passed--.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ljiljana (Lil) V. Ciric whose telephone number is 571-272-4909. The examiner works a flexible schedule, but can normally be reached weekdays between 10:30 a.m. and 6:30 p.m.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cheryl J. Tyler can be reached on 571-272-4834. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system.

Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see <http://pair-direct.uspto.gov>.

Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service

Application/Control Number: 10/829,224

Page 3

Art Unit: 3744

Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ljiljana (Lil) V. Ciric/

Primary Examiner, Art Unit 3744